



SPE Thermoforming Conference®  
Parts Competition Guidelines and Entry Form  
September 9-11, 2019  
Milwaukee, Wisconsin

<b>Submission Deadline:</b>	<b>August 16, 2019</b>
<b>Shipments May Arrive Beginning:</b>	<b>August 16, 2019</b>
<b>Shipment Deadline:</b>	<b>August 30, 2019</b>

We are excited to welcome all thermoforming businesses to participate in our prestigious global competition. Tool makers and sheet suppliers are also encouraged to participate! The SPE Thermoforming Division is proud to showcase the latest advances and innovations in thermoforming design and applications.

1. All submissions must be final thermoformed components produced from production tooling.  
**Advertising in any form on part submissions is strictly prohibited.**
2. Multiple submissions from one company are accepted; please use one entry form for each submission.
3. All images and descriptions must be emailed to the Parts Competition Chair two (2) weeks prior to the Conference. Images must be in JPEG format and not exceed 1MB. The part description should follow the criteria as stated on the entry form. The company's name and contact information may only be stated at the bottom of the description.
4. The judging committee reserves the right to re-categorize a product submission and to merge categories that do not have at least five (5) entries.
5. No electrical power hookups are permitted. All parts must be production units and not "one-off" samples.
6. **All shipments must be identified on the outside of the box as "Parts Competition."**
7. Submitters are required to retrieve their shipments and set up their part display in the designated Parts Competition area on the exhibition hall floor. Assistance is available (for a fee) from RPM XPO. Contact Abby Letts (E: [abby@rpmxpo.com](mailto:abby@rpmxpo.com); P: 770-686-6512) for more information and to schedule assistance. RPM XPO can also provide in-bound and outbound shipping assistance for your parts. Parts Competition submitters are expected to retrieve, unpack and set up their displays on the show floor. SPE Thermoforming Division Board Members will also be on hand to help unpack and set up.
8. Set-up hours are Monday, September 9, 8 a.m.-3 p.m. All displays must be set up by 3 p.m. on Monday, September 9. Submitters are also responsible for packing and preparing their materials for outbound shipment at the conclusion of the Conference beginning on Wednesday, September 11, at 4 p.m. Neither the SPE Thermoforming Division nor RPM XPO is responsible for unclaimed part submissions at the conclusion of the Conference. You must schedule outbound shipping service via RPM XPO or your own carrier.
9. Submitters and individual category winners may receive publicity in trade journals or other publications. Submission of an entry constitutes acceptance of said publicity and confirms that the submitter has secured the necessary approvals to participate in the Parts Competition and to be featured in any subsequent publicity.
10. Awards will be presented at the SPE Thermoforming Awards Dinner on Tuesday, September 10, at the Hilton Milwaukee City Center Hotel.

**FORM SUBMISSION DEADLINE:**  
**SHIPMENT DEADLINE:**

**AUGUST 16, 2019**  
**AUGUST 30, 2019**

**I. Company Information**

**II. Official Representative**

Submitter*	Name*
Processor	Telephone*
Designer	Mobile Phone*
Moldmaker	Email*
Address 1*	Fax
Address 2*	Signature*
City, State, Country*	
Postal Code	Today's Date

\*Denotes a required field.

**III. \*Product Category (please check one)**

Email the following to [travisk@plasticsunlimited.com](mailto:travisk@plasticsunlimited.com):

**Roll-Fed**

**Heavy Gauge**

- Industrial
- Medical
- Food

- Vacuum Form
- Pressure Form
- Twin Sheet
- TPO

**Other – NEW!**

- Recycled/Sustainable Materials
- Parts Produced with Automation and New Technology

- This completed and signed entry form
- Product image in JPEG format, 1 MB limit
- Product description in MS Word to include:
  - Critical elements of design
  - Intended use
  - Materials used:
- Please specify material being used and starting thickness
- Design criteria should state challenges and how these challenges were addressed
  1. How did this part provide a solution to customer requirements
  - Tooling: Please note whether part is produced from a prototype or production tooling and include:
    1. Challenges associated with tooling requirements
    2. Tooling characteristics (i.e. how many cavities, mold material, temperature controlled?)

**V. Shipping Information**

SPE Thermoforming 2019  
ABF Freight, c/o RPMXPO  
11307 W. Rogers  
West Allis, WI 53227  
414-321-0039

\*Email the contents of your shipment and tracking information to Abby Letts: [abby@rpmxpo.com](mailto:abby@rpmxpo.com)

<b>Contact:</b>	Travis Kieffer 2019 Parts Competition Chair E: <a href="mailto:travisk@plasticsunlimited.com">travisk@plasticsunlimited.com</a> P: 563-357-9093
-----------------	--

Both the image and the description must be suitable for publication. For blind judging purposes, company identification may only be entered at the bottom of the page. Each entry must be accompanied by a separate hard copy of the completed entry form, description and image.

## **SPE Thermoforming Conference Parts Competition Sample Product Description**

### Overview

This Enclosure assembly houses a large, sophisticated medical treatment power supply.

### Features and Benefits

All primary parts are twin sheet formed to provide a highly aesthetic, structurally rigid assembly for the enclosure.

Material is custom color pearlescent metallic, formed on a smooth tool surface to yield a high gloss appearance for the multipart assembly and is formed from an Acrylic-PVC blend.

The innovative design provides formed-in threaded inserts to receive quarter turn fasteners, allowing for easy, quick, and simple assembly by the OEM.

The large 4'X4' advanced twin sheet, Upper Cover contains two 10" fan attachments providing ventilation control and noise reduction, through the integrated hollow-part design, while simultaneously maintaining the very high aesthetic requirements.

The innovative utilization of the undercut on the inside of door provides an easy- to-use handle and formed-in hinge receiving pads, with precise alignment, quick assembly, mounting features, making the device user friendly and easy to remove/replace by a single service manager.

Lower twin sheet skirts; utilize form-in plastic attachment features for immediate drop-in attachment eliminating need for mechanical fasteners.

Overall assembly time reduced OEM man-hours by 75%.

**Part submission descriptions that exceed this length will not be accepted and returned for editing.**